- 1. Young tableaux: Using the Young Tableaux method discussed in class, work out 10 \otimes 8 for SU(3).
- 2. **3-D harmonic oscillator:** The 3-dimensional harmonic oscillator is described by the Hamiltonian

$$H = \frac{\mathbf{p}^2}{2m} + \frac{1}{2}k\mathbf{r}^2 = \sum_{i=1}^3 \left(a_i^{\dagger}a_i + \frac{1}{2}\right)\hbar\omega.$$
(1)

- (a) What are the energy eigenvalues?
- (b) What is the symmetry group of this Hamiltonian?
- (c) The eigenstates with energy E_n are given by $a_{i_1}^{\dagger}a_{i_2}^{\dagger}\cdots a_{i_n}^{\dagger}|0\rangle$, which manifestly transform like an SU(3) tensor with n lower (or upper) indices. Calculate the dimension d of this tensor.
- (d) Show that d from part (c) gives the degree of degeneracy of the energy eigenvalues you obtained in part (a). This is yet another example of the power of symmetry.
- 3. Generalized Isospin: In class, we discussed the three overlapping SU(2) subalgebras of SU(3). These are referred to as the generalized isospins, or *I*-spin, *U*-spin, and *V*spin, generated by $(I_3, I_{\pm}), (U_3, U_{\pm}), \text{ and } (V_3, V_{\pm}), \text{ respectively, where}$

$$I_{\pm} = T_1 \pm iT_2, \quad U_{\pm} = T_6 \pm iT_7, \quad \text{and} \quad V_{\pm} = T_4 \pm iT_5,$$
 (2)

 T_a 's being the SU(3) generators. Using the SU(3) Lie algebra

$$[T_a, T_b] = i f_{abc} T_c \tag{3}$$

and the structure constants you derived in HW9, problem 3a, work out *all* the commutation relations among these generalized isospin generators. These results will be used in our discussion of roots and weights – a central concept in Lie algebra.